

L Number	Hits	Search Text	DB	Time stamp
1	0	<del>("removable adj storage").PN.</del>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:11
2	3716	removable adj storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:53
3	0	(removable adj storage) with (global near5 (id identif\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:12
4	9	(removable adj storage) with (unique near5 (id identif\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:47
5	29198	character with string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:15
6	9428	string with (id identif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:16
7	3980	(character with string) and (string with (id identif\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:16
8	75	((character with string) and (string with (id identif\$5))) and (removable adj storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:16
9	69	(removable adj storage) with (id identif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:17
10	1	((character with string) and (string with (id identif\$5))) and (removable adj storage)) and ((removable adj storage) with (id identif\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:19
11	7	tracking with removable adj storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:21
12	68	(id identif\$4) with removable adj storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:22
13	849	conver\$5 with (id identif\$4) with (name string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:25
14	0	((id identif\$4) with removable adj storage) and (conver\$5 with (id identif\$4) with (name string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:23

15	9	(conver\$5 with (id identif\$4) with (name string)) and (removable adj storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:56
16	166	(conver\$5 with (id identif\$4) with (name string)) and (backup (back adj up) back-up restor\$4 migrat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:26
17	141	((conver\$5 with (id identif\$4) with (name string)) and (backup (back adj up) back-up restor\$4 migrat\$4)) and storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:27
18	8	((conver\$5 with (id identif\$4) with (name string)) and (backup (back adj up) back-up restor\$4 migrat\$4)) and storage) and hexadecimal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:34
19	9	("5375204"   "5412808"   "5437029"   "5444445"   "5454046"   "5463774"   "5475804"   "5568639"   "5579517").PN.	USPAT	2002/12/15 16:30
20	9	("5375204"   "5412808"   "5437029"   "5444445"   "5454046"   "5463774"   "5475804"   "5568639"   "5579517").PN.	USPAT	2002/12/15 16:30
21	3	5832507.URPN.	USPAT	2002/12/15 16:30
22	622	(removable adj storage) and (id identif\$5) with ( (character adj string) string name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:56
23	171	((removable adj storage) and (id identif\$5) with ( (character adj string) string name)) and global	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:36
24	24	((removable adj storage) and (id identif\$5) with ( (character adj string) string name)) and global with (id identif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:36
25	28	((removable adj storage) and (id identif\$5) with ( (character adj string) string name)) and hexadecimal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:38
26	20	(removable adj storage) same ((unique global) with (id identif\$5 name string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:52
27	50	(removable adj (storage medi\$4)) same ((unique global) with (id identif\$5 name string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:03
28	6985	removable adj (storage medi\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:13
29	30	((removable adj (storage medi\$4)) same ((unique global) with (id identif\$5 name string))) not ((removable adj storage) same ((unique global) with (id identif\$5 name string)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:53
30	1223	(removable adj (storage medi\$4)) and (id identif\$5) with ( (character adj string) string name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 16:56

31	23	(conver\$5 with (id identif\$4) with (name string)) and (removable adj (storage medi\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:00
33	0	(removable adj (storage medi\$4)) and 711/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:01
32	204	711/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:01
34	20	((removable adj (storage medi\$4)) same ((unique global) with (id identif\$5 name string))) and conver\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:03
37	1065	(removable adj (storage medi\$4)) and medi\$4 with (name id identif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:05
38	360	((removable adj (storage medi\$4)) and medi\$4 with (name id identif\$5)) and ((back adj up)backup back-up restor\$5 migrat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:06
39	19	((removable adj (storage medi\$4)) and medi\$4 with (name id identif\$5)) and ((back adj up)backup back-up restor\$5 migrat\$4)) and hexadecimal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:07
40	976	(removable adj (storage medi\$4)) and addressing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:13
41	252	((removable adj (storage medi\$4)) and addressing) and global	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:13
42	1166	(removable adj (storage medi\$4)) and global	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:13
43	102	((removable adj (storage medi\$4)) and global) and global near3 (name string adress\$4 or id identif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:14
44	5	((removable adj (storage medi\$4)) and global) and global near3 (name string adress\$4 or id identif\$5)) and hexadecimal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:16
45	98	(removable adj (storage medi\$4)) and medi\$4 near2 management	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:45
46	0	6370545.urpn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/15 17:45

47	2	("6370545").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 17:45
48	0	6370545.URPN.	USPAT	2002/12/15 17:46
49	0	6370545.URPN.	USPAT	2002/12/15 17:46
50	13	("4958314"   "4975898"   "5214627"   "5537636"   "5613097"   "5708650"   "5711672"   "5717683"   "5825728"   "5832213"   "5850566"   "5896546"   "6119131").PN.	USPAT	2002/12/15 17:46
51	18	(US-6477629-\$ or US-6205527-\$ or US-5638509-\$ or US-6212512-\$ or US-5884298-\$ or US-5799141-\$ or US-6370545-\$ or US-5832507-\$ or US-6415280-\$ or US-5940854-\$ or US-5765154-\$ or US-6119131-\$ or US-5832213-\$ or US-5613097-\$).did. or (US-20020095501-\$ or US-20020174330-\$ or US-20020052884-\$ or US-20020087785-\$).did.	USPAT; US-PGPUB	2002/12/15 18:58
52	7	((US-6477629-\$ or US-6205527-\$ or US-5638509-\$ or US-6212512-\$ or US-5884298-\$ or US-5799141-\$ or US-6370545-\$ or US-5832507-\$ or US-6415280-\$ or US-5940854-\$ or US-5765154-\$ or US-6119131-\$ or US-5832213-\$ or US-5613097-\$).did. or (US-20020095501-\$ or US-20020174330-\$ or US-20020052884-\$ or US-20020087785-\$).did.) and conver\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 19:13
53	475	hexadecimal with ASCII	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 19:13
54	20	(hexadecimal with ASCII) and (removable adj (storage medi\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 19:13
-	1189	707/202	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:50
-	543	707/202.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:51
-	42	707/202.ccls. and protect\$4 with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:51
-	95	707/202.ccls. and (backup back-up) with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:51
-	50	(707/202.ccls. and (backup back-up) with file) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:51
-	23	(707/202.ccls. and protect\$4 with file) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:54

-	2	707/202.ccls. and vault	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:56
-	4693841	connect with database with operating system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:57
-	0	selecet with file with protect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:57
-	61	select with file with protect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:58
-	27	(select with file with protect\$3) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:58
-	20	((select with file with protect\$3) and database) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:58
-	20	((select with file with protect\$3) and database) and log) and protect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 17:58
-	6	"6212512"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:28
-	2	6212512.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:42
-	2	6212512.URPN.	USPAT	2002/12/12 19:29
-	7	("5634124"   "5915019"   "5973692"   "5987123"   "5999622"   "6052486"   "6057842").PN.	USPAT	2002/12/12 19:29
-	178	identif\$5 with removable with storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:44
-	0	(identif\$5 with removable with storage) and gloabl with identif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:43
-	0	(identif\$5 with removable with storage) and gloabal with identif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:43
-	5	(identif\$5 with removable with storage) and global with identif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:43

-	115	identif\$5 with removable adj4 storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:45
-	45	((identif\$5 with removable adj4 storage) and character	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:45
-	19	((identif\$5 with removable adj4 storage) and string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:45
-	12	((identif\$5 with removable adj4 storage) and string) and ((identif\$5 with removable adj4 storage) and character)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 14:10
-	20	((identif\$5 with removable adj4 storage) and global	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:48
-	5	((identif\$5 with removable adj4 storage) and global with identif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/12 19:48
-	15	((identif\$5 with removable adj4 storage) and global) not ((identif\$5 with removable adj4 storage) and global with identif\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 13:13
-	2	("6212512").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 13:13
-	2	6212512.URPN.	USPAT	2002/12/15 13:13
-	7	("5634124"   "5915019"   "5973692"   "5987123"   "5999622"   "6052486"   "6057842").PN.	USPAT	2002/12/15 13:13
-	1027	global with identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 14:11
-	95	((global with identifier) same storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 14:11
-	43890	"95" and (restor\$5 back-up backup (back adj up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 14:13
-	32	((global with identifier) same storage) and (restor\$5 back-up backup (back adj up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 14:30
-	2	("5638509").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/15 16:11
-	12	5638509.URPN.	USPAT	2002/12/15 14:30